

DS-KD-ACF2/S

- 2 Flush mounting module brackets of modular door station: includes gang box, cover screws, lines, etc.
- Stainless steel high quality material


▪ **Specification**

General	
Working temperature	-40 °C to 55 °C (-40 °F to 131 °F)
Dimension (W × H × D)	For cover 236 x 124 x 14.5 mm (9.29" x 4.88" x 0.57") For gang box 219 x 107 x 45 mm (8.6" x 4.2" x 1.8")
Material	Cover: stainless steel Gang Box: plastic

▪ **Available Model**

DS-KD-ACF2/S

▪ **Dimension**



Unit: mm [inch]

SCALE	1:1
-------	-----

▪ **Accessory**




DS-KD8003-IME2



DS-KD-KP#EU



DS-KD7003EY-IME2



DS-KD-BK




DS-KD8003-IME1(B)/
NS



DS-KD8003-IME1(B)
)/S



DS-KD8003-IME2/
NS



DS-KD-IN



DS-KD8003Y-IME2/
NS




DS-KD-KP



DS-KD-INFO




DS-KD8003-IME1/N
S



DS-KD-M



DS-KD-DIS




DS-KD8003Y-IME2/
S



DS-KD8003-IME2
/S




DS-KD-KP/S



DS-KD-KK



DS-KD8003-IME1



DS-KD-E



DS-KD8003-IME1/S



DS-KD-KK/S

See Far, Go Further



www.hikvision.com
support@hikvision.com

